

कार्यालय रक्षा लेखा प्रधान नियंत्रक (दक्षिण पश्चिम कमान), खातीपुरा रोड, जयपुर
Pr. CDA (SWC), KHATIPURA ROAD, JAIPUR- 302012
Ph. 0141-6605555, 6605565 FAX NO. 0141-6605585, 6605595, ई-mail : pedaswe@rediffmail.com

SPEED POST

संख्या आलेप/MISC

दिनांक:10/12/2015

सेवा में,

समस्त स्थानीय लेखा परीक्षा अधिकारी

विषय : Non utilization of DG Sets by ECHS polyclinic.

संदर्भ : मुख्यालय कार्यालय का पत्रांक AT/XII/12682/AAC/2014-15/DG Set Dt. 06/11/15

मुख्यालय कार्यालय का उक्त संदर्भित पत्र आपकी आवश्यक कार्यवाही हेतु प्रेषित है।
कृपया आपके लेखा परीक्षा क्षेत्र से संबन्धित वांछित विवरण शीघ्र FAX/SPEED POST से
इस कार्यालय को प्रेषित करें ताकि मुख्यालय कार्यालय के पत्र का जवाब दिया जा सके।
कृपया अति आवश्यक समझे।

प्रतिलिपि -

प्रभारी अधिकारी

EDP अनुभाग (स्थानीय)

~~सभी स्थानीय लेखा परीक्षा अधिकारियों को ई-मेल करने हेतु।~~
कृपया PCDA (SWC) की site पर upload करें।

व. लेखा अधिकारी (आलेप)

व. लेखा अधिकारी (आलेप)

820

264

1A

कार्यालय, रक्षा लेखा महानियंत्रक

Office of the Controller General of Defence Accounts

उलान बटार मार्ग, पालम, दिल्ली छावनी -110010

Ulan Batar Road, Palam, Delhi Cantt -110010

Recd on 4/12
4/12

No :- AT/XII/12682/AAC/2014-15/DG Set

Dated :- 06-11-2015

श्री मेहरा

To

The PCDA(SMG)
Jaipur

3
4/12

सर्वोच्च न्यायालय
से शीघ्र (फॉक्स से)
प्रतिलिपि प्राप्त करें।

Sub :- Non utilization of DG Sets by ECHS Polyclinics.

-----xxx-----

3
4/12

During the course of audit of Station HQrs Danapur Cantt, it was observed by LAO(A) Danapur that 06 numbers of DG Sets procured for ECHS Polyclinics at Samastipur, Sitamarhi, Siwan, Madhubani, Kishanganj and Munger are lying idle since December 2013 as the Polyclinics at these locations are not yet operational.

2. Further, it has been observed that Central Organisation, ECHS, AG Branch, IHQ of MOD Delhi Cantt had placed supply order in March 2013 for installation and commissioning of 182 numbers of 30 KVA DG Sets, however, out of 182 consignee locations, only 49 have confirmed that their DG Sets have been installed. The irregularity has already been included in 34th Internal Audit Report.

3. It is requested that matter may be examined and details of DG Sets lying idle at the Station HQrs/ECHS Polyclinics under your organisation may be provided to HQrs office for further action.

This issues with the approval of Jt.CGDA(IA).

///
Sr.AO(AT)